



EDGE TYPE	WEAR LAYER	THICKNESS	FINISH	SIZE	SQ FT PER CARTON
Painted Bevel	 .75mm 30mil	 8mm	Polyurethane w/ Anti Scratch	Planks: 9" x 60"	 22.09 sqft

LIFETIME LIMITED RESIDENTIAL WARRANTY

12 YEAR LIMITED MEDIUM COMMERCIAL WARRANTY





What Makes Bliss w/ Zen Core Unique?


Zen Core is specialized material that is 30% less dense than traditional stone core products. This makes Bliss w/Zen Core significantly more pleasant to live on because its softer, warmer, and quieter than traditional rigid flooring products.

We also integrated a 30mil commercial wear layer and perfectly balanced construction, so you can stress less about the performance and longevity of your floor.


CONSTRUCTION	HYBRID ENGINEERED VINYL PLANK
THICKNESS	8MM
INSTALLATION	VÄLINGE 5G LOCKING SYSTEM (FLOATING)
WIDTH	9" (228MM)
LENGTH	60" (1500MM)
PACKAGING	22.09 SQ FT / CTN
WEAR LAYER	.75MM / 30MIL
SURFACE FINISH	POLYURETHANE WITH ANTI SCRATCH
SURFACE TEXTURE	EMBOSSED IN REGISTER (EIR)
MEASUREMENT NOTE:	6.5MM CORE + 1.5MM IXPE PAD
VISUAL	SUPER MATTE
CO-ORDINATING MOLDINGS	FLUSH STAIR NOSE, T-MOLD, REDUCER
CERTIFICATION	FLOORSCORE® CERTIFIED
EDGE TYPE	PAINTED BEVEL
SPECIAL FEATURES:	QUIET, WATERPROOF, WARMER UNDERFOOT
IIC RATING	74*
STC RATING	72*
*SOUND RATING WILL VARY BASED ON BUILDINGS CONSTRUCTION.	

MOLDINGS

FLUSH STAIR NOSE



REDUCER



T - MOLD



